



Trailer

Trolley 600 / 1.200

JUNGHEINRICH

The perfect trolley **for large load carriers.**

Reliable transport of pallets and mesh boxes.

Our handy and flexible trolleys are ideal for transporting loads up to 1.6 tonnes per trailer and are optimally matched to the Jungheinrich GTE trailers. The trolleys easily move large load carriers (LLC) from A to B, e.g. in a tow train loaded with pallets or pallet cages.

The lift platform helps the trolleys to be easily and safely pushed into the trailers and lifted during transport. Low rolling resistance makes for quiet operations and precise lane guidance. Different sizes and capacities guarantee high flexibility in any application. The easy handling of the trolleys and the low effort required for manual reaching allow comfortable working.

Besides our wide range of tow tractors, trailers and trolleys, we also offer you integrated tow train system advice to optimise your warehouse logistics to the maximum.

All benefits at a glance

- Usable without the use of additional devices
- Suitable for all Jungheinrich trailers
- Available in different sizes and carrying capacities
- Ball bearings and hard tread for low rolling resistance
- Quiet and low-wear operation

Your Jungheinrich trailer for maximum customer benefits.



Efficiency

Maximum performance with the most efficient trucks.

Everything runs smoothly: The wheels of our trolleys have optimised roll resistance due to ball bearings and hard tread.

Efficient operation

- 4 steering rollers, two of which are diagonally braked with wheel locks.
- Large wheels made of polyamide with ball bearings for easy manual pushing.
- An ESD wheel with electrical conductivity.




Safety

Best prerequisites for working safely.

Even heavy or bulky loads cannot stop our trolleys: Various equipment options ensure ergonomic and safe handling.

Safe and ergonomic

- Various features make it easier to handle heavy and bulky loads.
- Attachable handles provide grip at an ergonomic height.
- Beam extensions make it easier to access loads without having to bend down.
- Lockable steering roller for directional stability when pushing manually.



Individuality

A forklift truck as individual as your business.

The perfect addition to our GTE tow-train trailer is available in various designs for flexible and efficient logistics processes.

Equipment and additional options

- Loads for 600 kg, 1200 kg and 1600 kg.
- Dimensions in 1200 x 800 mm and 1200 x 1000 mm.
- Trolleys for the mechanical GTE 106.
- Clip-on push handle.
- Parking brake with fixed brake pedal.
- Locking rollers for easier handling of heavy loads.
- Beam extension for ergonomic unloading of large load carriers.
- Wooden floor with optional rubber mat to ensure that smaller loads can also be transported securely.

Overview

The right solution for your applications:

| Name | Load capacity/load | total height |
|-------------------|--------------------|--------------|
| RW 0,6t 1200x800 | 600 kg | 351 mm |
| RW 0,6t 1200x1000 | 600 kg | 351 mm |
| RW 1,2t 1200x800 | 1200 kg | 351 mm |
| RW 1,2t 1200x1000 | 1200 kg | 351 mm |

The German production facilities in Norderstedt, Moosburg and Landsberg are certified as well as our Genuine Parts Center in Kaltenkirchen. ISO 9001 ISO 14001

Jungheinrich fork lift trucks meet European safety requirements.



JUNGHEINRICH