



## Electric pedestrian pallet truck

### EJE M13 / M15

Lift height: 120 mm / Load capacity: 1300-1500 kg

# **Accomplished helpers** **in confined spaces.**

**Our lightweights for the reliable transport of goods.**

The cost-effective and compact EJE M13 / M15 offer optimal support for the transport of lightweight to moderately heavy goods in small and medium-sized enterprises. Thanks to their compact design, they impress with maximum manoeuvrability, especially in confined warehouse environments.

A powerful drive motor ensures cost-efficient goods throughput with low operating costs, while the truck's maintenance-free lithium-ion battery can be charged quickly and conveniently from any 230-V socket using the built-in charger.

Two sprung support wheels for stable cornering and a completely closed frame ensure a high level of safety when driving. The multifunctional tiller head with LCD display presents the most important operating data at a glance and offers a high level of comfort thanks to one-handed operation.

## **All benefits at a glance**

- **Cost-effective entry-level truck for the transport of goods in confined spaces.**
- **High manoeuvrability thanks to compact truck dimensions.**
- **Built-in charger for flexible and quick charging.**
- **Support wheels for improved driving and cornering stability.**
- **Optional system enhancements for specific operating conditions.**

# Your Jungheinrich low-lift pallet trucks

for maximum customer benefits.



## Efficiency

Maximum performance with the most efficient trucks.

The perfect combination of robustness and efficiency: thanks to the standard lithium-ion battery, our EJE M13 / M15 impress with their long service life, zero maintenance and a first-class energy balance.

### Advanced drive technology

- Strong drive motor with high degree of efficiency and excellent energy management.
- Energy recovery through regenerative braking.
- Truck as per newest EN-1175 standard.

### Standard lithium-ion technology

- Powerful lithium-ion battery.
- Flexible and fast booster charging ensures high truck availability.
- Cost savings due to up to 3 times greater service life in comparison with lead-acid batteries.
- No battery exchange and no maintenance of the lithium-ion battery necessary.
- Intelligent automatic switch-off after 30 minutes without use.



## Safety

Best conditions for working safely.


Every time you drive our EJE M13 / M15 electric low-lift pallet truck, a series of safety precautions ensure that the risk of injury to the operator is reduced to a minimum.

### Optimum stability and high ride comfort

- Support wheels for excellent driving and cornering stability.
- Fully enclosed frame for maximum protection.
- Simplified manoeuvring in confined spaces by operating the slow travel button with the tiller in the upright position.
- 4-digit PIN access code in the tiller for increased ease of use.
- The truck can only be moved when the mains plug of the built-in charger is inserted in the specified socket on the truck.

### Reduced risk of injury

- Reduced risk of foot injuries thanks to low ground clearance.
- The body protection switch integrated in the tiller head protects against collisions in dangerous situations.
- The long safety tiller provides sufficient distance between the operator and the truck.



## Individuality

A forklift truck as individual as your business.

Whether in the pallet warehouse or for deliveries in the heart of the city – use various options and packages to perfectly adapt your truck to specific operating conditions.

### Safe, intuitive operation

- Dual-sided operation of ergonomic, multifunctional tiller handle.
- LED real-time display of the most important truck operating data such as travel speed, battery status, operating hour counter and operating status display enables cost-effective work.
- Simple to operate for left and right-handed people.

### Optional additional equipment

- The available City option with increased ground clearance and larger fork width is ideal for working in inner city areas as well as in tight spaces.
- Thanks to the sound insulation mat and tri-load tyres, the noise level of the truck can be reduced up to 60 dB in residential areas.
- The weighing system can be used wherever goods must be weighed and transported at the same time. Thus, two work steps can be efficiently accomplished with only one truck.

# Overview

The right solution for your applications:

Name	Load capacity/ load	Lift height (max.)	Travel speed unladen	Aisle width (pallet 800x1200 length)	Lift speed unladen
EJE M13 (540x1150)	1300 kg	120 mm	5 km/h	1843 mm	0.06 m/s
EJE M13 (550x1,150) with weighing function	1300 kg	120 mm	5 km/h	1863 mm	0.06 m/s
EJE M15 (540x1000)	1500 kg	120 mm	5 km/h	1693 mm	0.06 m/s
EJE M15 (540x1150)	1500 kg	120 mm	5 km/h	1843 mm	0.06 m/s
EJE M15 (550x1,150) with weighing function	1500 kg	120 mm	5 km/h	1863 mm	0.06 m/s
EJE M15 (670x1000)	1500 kg	120 mm	5 km/h	1693 mm	0.06 m/s
EJE M15 (670x1150)	1500 kg	120 mm	5 km/h	1843 mm	0.06 m/s

The German production facilities in  
Norderstedt, Moosburg and Landsberg ISO 9001  
are certified as well as our Genuine Parts ISO 14001  
Center in Kaltenkirchen.

**JUNGHEINRICH**