

# Electric pedestrian stacker

**EJC M10 E / M10b E**

Lift height: 1540-1900 mm / Load capacity: 1000 kg

# The flexible entry model for easy stacking.

Manoeuvrable help for low-intensity operations.

Our compact and affordable EJC M10 E / M10b E electric pedestrian stackers are ideal for the stacking and removal of light goods in confined environments. Two different lift heights offer flexibility in use, while the optionally available wide-tread version is the perfect choice for picking up closed pallets.

A brushless DC motor ensures consistently high performance. The built-in charger enables fast and uncomplicated charging of the maintenance-free 50-Ah lithium-ion batteries at any 230-V socket.

The narrow mono-mast and the low frame height offer a clear view to the front as well as of the load to be transported. An ergonomically sophisticated tiller head with clearly configured controls ensures safe and comfortable working.



## Use your data to your advantage.

Utilise the data from your trucks to save time, energy and costs and increase efficiency. Our Telematics box (ex works) provides you with a free fleet management starter package that can be flexibly expanded with various hardware and software components.

\* In accordance with our warranty terms - see website for details.

## All benefits at a glance

- Entry-level truck for the internal transport of goods.
- Excellent manoeuvrability in confined warehouse areas.
- Versatile use thanks to integrated lithium-ion battery and built-in charger.
- Innovative tiller design for efficient, one-handed operation.
- Modern display with integrated warning lights for intuitive operation.

# Your Jungheinrich stacker truck for maximum customer benefits.



## Efficiency

Solid performance with our efficient trucks.

Benefit from high availability and short charging times with our maintenance-free lithium-ion technology. Thanks to the built-in warning light, you are always well informed about the current truck and battery charging status.

### Reliable lithium-ion technology

- Maintenance-free 50-Ah lithium-ion battery with long service life.
- Built-in charger for fast charging at any standard 230-V socket.
- Warning light informs in good time when the state of charge is too low.
- No battery exchange necessary.
- Intelligent automatic switch-off after 30 minutes without use.

### Multifunctional tiller head for efficient work

- 2.4-inch LCD display in the tiller head to indicate the current truck status.
- Real-time display of travel speed, battery discharge status, operating hour counter and status messages for efficient work.
- 4-digit PIN access code in the tiller for convenient and reliable switching on of the truck.



## Safety

Good requirements for safe working.


Not only safe, but also comfortable: as a substitute for the key switch, the PIN code ensures that only authorised personnel are able to drive the industrial truck.

### Working safely in confined spaces

- Simplified manoeuvring in confined spaces by operating the slow travel button with the tiller in the upright position.
- Optimum view of the fork tips thanks to the low frame height.
- The truck can only be moved when the mains plug of the built-in charger is inserted in the specified socket on the truck.
- Jungheinrich truck as per the latest EN 1175 standard.

### Reduced risk of injury

- Body protection switch integrated in the tiller head protects the operator from collisions.
- The long safety tiller provides sufficient distance between the operator and truck.
- Reduced risk of foot injuries thanks to low ground clearance.



## Individuality

A forklift truck as individual as your business.

Lifting, lowering, braking, accelerating – with our versatile EJC electric pedestrian stackers you can enjoy maximum comfort, because all truck functions can be easily operated with one hand.

### High flexibility in use

- Available with the lift heights 1,540 mm and 1,900 mm.
- The support arm width of the wide tread version of 882 mm and 1,052 mm can be optionally adjusted via an adapter.
- Activation of a slowed drive mode (3.5 km/h) via the PIN code field in the tiller.

### Intuitive operation

- LED display of the current truck operating status in the tiller head for cost-effective working.
- The most important functions – lifting, lowering, accelerating, braking and steering – can be controlled via one-handed operation.
- Easy accessibility of the slow travel function for manoeuvring with the tiller upright.
- Simple to operate for left and right-handed people.

# Overview

The right solution for your applications:

Name	Load capacity/load	Lift height (max.)	Travel speed unladen	Aisle width (pallet 800x1200 length)	Lift speed unladen
EJC M10 E 1540	1000 kg	1540 mm	5 km/h	2059 mm	0.22 m/s
EJC M10 E 1900	1000 kg	1900 mm	5 km/h	2059 mm	0.22 m/s
EJC M10b E 1540	1000 kg	1540 mm	5 km/h	2100 mm	0.22 m/s

The German production facilities in  
Norderstedt, Moosburg and Landsberg ISO 9001  
are certified as well as our Genuine Parts ISO 14001  
Center in Kaltenkirchen.

**JUNGHEINRICH**