



Електричний триколісний вилочний навантажувач **EFG BB 216k**

Висота підйому: 3000-6500 mm / Вантажопідйомність: 1600 kg

Technical drawing of a forklift showing dimensions and labels. The drawing includes the following labels and dimensions:

- Dimensions:**
 - h_4 : Total height from the ground to the top of the mast.
 - h_3 : Height from the ground to the top of the mast when the forks are lowered.
 - h_1 : Height from the ground to the top of the mast when the forks are raised.
 - h_6 : Height from the ground to the top of the operator's platform.
 - h_7 : Height from the ground to the top of the rear counterweight.
 - h_{10} : Height from the ground to the top of the rear counterweight.
 - $80_{\pm 0}$: Ground level reference dimension.
 - 1 : Distance from the front of the mast to the front axle.
 - x : Distance from the front axle to the rear axle.
 - y : Distance from the rear axle to the rear of the counterweight.
 - 11 : Total wheelbase (distance between front and rear axles).
 - 12 : Distance from the rear axle to the rear of the counterweight.
- Labels:**
 - ω : Angle of the mast tilt.
 - α : Angle of the mast tilt.
 - β : Angle of the mast tilt.
 - γ : Angle of the mast tilt.
 - δ : Angle of the mast tilt.
 - ϵ : Angle of the mast tilt.
 - ζ : Angle of the mast tilt.
 - η : Angle of the mast tilt.
 - θ : Angle of the mast tilt.
 - φ : Angle of the mast tilt.
 - ψ : Angle of the mast tilt.
 - ω : Angle of the mast tilt.
 - α : Angle of the mast tilt.
 - β : Angle of the mast tilt.
 - γ : Angle of the mast tilt.
 - δ : Angle of the mast tilt.
 - ϵ : Angle of the mast tilt.
 - ζ : Angle of the mast tilt.
 - η : Angle of the mast tilt.
 - θ : Angle of the mast tilt.
 - φ : Angle of the mast tilt.
 - ψ : Angle of the mast tilt.



Таблиця **VDI**

ТОВ "Юнгхайнріх Ліфт Трак"

вул. Качалова, 5-Г
03126, Київ, Україна
тел. 044 583 1 583
факс 044 583 1 584
info@jungheinrich.ua
www.jungheinrich.ua

Німецькі виробничі потужності в
Нордерштедті, Моосбурзі та
Ландсберзі сертифіковані, так само як
і наш центр оригінальних запчастин
у Кальтенкірхені.

ISO 9001
ISO 14001

Підлогові підйомно-транспортні
засоби Jungheinrich відповідають
європейським вимогам безпеки.



 **JUNGHEINRICH**