




Transpallet manuale con bilancia **AMW 22 / 22p**

Altezza di sollevamento: 122 mm / Portata: 2200 kg

 JUNGHEINRICH

Technical drawing of a pallet truck (Fig. 1.10). The drawing shows the side profile of the truck with various dimensions and labels:

- h_{14} : Total height of the truck.
- (y) : Horizontal distance from the front wheel axle to the center of gravity.
- c : Horizontal distance from the front wheel axle to the point of application of the load Q .
- Q : Downward force representing the load.
- 674 : Vertical distance from the front wheel axle to the center of gravity.
- m : Vertical distance from the front wheel axle to the bottom of the frame.
- s : Vertical distance from the bottom of the frame to the top of the frame.
- h_{13} : Height of the frame above the wheels.
- h_3 : Height of the wheels.
- l_2 : Horizontal distance from the front wheel axle to the rear wheel axle.
- l : Horizontal distance from the front wheel axle to the rear of the truck.
- l_1 : Total horizontal length of the truck.



Motore elettrico/Parte elettronica

6.4

Tensione batteria/capacità nominale

V

1,5

12 / 1,2

1,5

12 / 1,2

- Ai sensi della direttiva VDI 2198, questa scheda tecnica cita solo i valori tecnici dell'apparecchio standard. Gommature diverse, altri montanti, attrezzature ecc. possono modificare i valori.

Jungheinrich Italiana S.r.l.

Via Amburgo, 1
20088 Rosate MI
Telefono 02 908711
Telefax 02 908712335
info@jungheinrich.it
www.jungheinrich.it

Gli stabilimenti di produzione tedeschi di
Norderstedt, Moosburg e Landsberg,
nonché il nostro centro ricambi di
Kaltenkirchen sono certificati.

ISO 9001
ISO 14001

 **JUNGHEINRICH**