



Jekketralle med vekt


AMW 22 / 22p

Løftehøyde: 122 mm / Løftekapasitet: 2200 kg

JUNGHEINRICH

Technical drawing of a pallet truck (transpallet) showing dimensions and components. The drawing includes a side view of the truck with a handle and a front view showing the wheels and the platform. Key dimensions and labels are as follows:

- h_{14} : Total height of the handle.
- (y) : Horizontal distance from the handle base to the center of the platform.
- c : Horizontal distance from the handle base to the center of the platform.
- 674 : Vertical distance from the handle base to the center of the platform.
- Q : Downward force applied to the handle.
- m : Vertical distance from the platform to the center of the front wheel.
- s : Vertical distance from the platform to the center of the rear wheel.
- h_{13} : Height of the platform.
- h_3 : Height of the front wheel.
- l_2 : Horizontal distance from the handle base to the front wheel.
- l : Horizontal distance from the front wheel to the rear wheel.
- l_1 : Total horizontal distance from the handle base to the rear wheel.



Jungheinrich Norge AS

Alf Bjerckes vei 30 · 0596 Oslo
Postboks 246 Leirdal · 1011 Oslo
Telefon 02350
24-timers servicevakt 480 75 450
kontakt@jungheinrich.no
www.jungheinrich.no

De tyske produksjonsstedene i
Norderstedt, Moosburg og Landsberg er
sertifisert. Det er også vårt
reservedelslager i Kaltenkirchen.

ISO 9001
ISO 14001

Jungheinrich-trucker bygges i henhold
til Eusikkerhetsbestemmelsene og CE-
forskriftene



 **JUNGHEINRICH**