



Transpalette manuel avec système de pesage


AMW 22 / 22p

Hauteur de levée: 122 mm / Capacité de charge: 2200 kg

 JUNGHEINRICH

Technical drawing of a pallet truck (transpallet) showing dimensions and labels. The drawing includes a side view of the truck with a handle and a front view showing the wheels and the platform. Key dimensions and labels are:

- h_{14} : Total height of the handle.
- (y) : Horizontal distance from the handle base to the center of the platform.
- c : Horizontal distance from the handle base to the center of the platform.
- 674 : Vertical distance from the handle base to the center of the platform.
- Q : Downward force applied to the handle.
- m : Vertical distance from the platform to the center of the front wheel.
- s : Vertical distance from the platform to the center of the rear wheel.
- h_{13} : Height of the platform.
- h_3 : Height of the front wheel.
- l_2 : Horizontal distance from the handle base to the front wheel.
- l : Horizontal distance from the front wheel to the rear wheel.
- l_1 : Total horizontal distance from the handle base to the rear wheel.



6.4

6.4	Tension de batterie / capacité nominale	V	1,5	12 / 1,2	1,5	12 / 1,2
-----	---	---	-----	----------	-----	----------

- Cette fiche technique selon la directive VDI 2198 n'indique que les valeurs techniques du chariot standard. D'autres bandages, d'autres mâts, des dispositifs supplémentaires, etc., peuvent donner lieu à d'autres valeurs.

Les matériels Jungheinrich sont
conformes aux normes européennes de
sécurité.

ISO 9001
ISO 14001

Les usines de production de
Norderstedt, Moosburg et Landsberg en
Allemagne sont certifiées.



 **JUNGHEINRICH**