




Transpaleta manual con báscula **AMW 22 / 22p**

Altura de elevación: 122 mm / Capacidad de carga: 2200 kg

 JUNGHEINRICH

Technical drawing of a pallet truck (transpalette) showing dimensions and labels. The drawing includes a side view of the truck with a handle and a top view of the wheels. Key dimensions and labels are:

- h_{14} : Total height of the handle.
- (y) : Horizontal distance from the handle base to the center of the load.
- c : Horizontal distance from the handle base to the center of the load.
- Q : Downward force applied to the handle.
- 674 : Vertical distance from the handle base to the center of the load.
- m : Vertical distance from the ground to the center of the load.
- s : Vertical distance from the ground to the center of the load.
- h_{13} : Height of the handle base.
- h_3 : Height of the wheels.
- l_2 : Horizontal distance from the handle base to the front wheel.
- l : Horizontal distance from the front wheel to the rear wheel.
- l_1 : Total horizontal distance from the handle base to the rear wheel.



cor eléctrico / sistema electrónico

6.4	Tensión de batería/capacidad nominal	V	1,5	12 / 1,2	1,5	12 / 1,2
-----	--------------------------------------	---	-----	----------	-----	----------

- Esta hoja técnica conforme a la directiva VDI 2198 indica sólo los valores técnicos del equipo estándar. Un bandaje diferente, otros mástiles de elevación, dispositivos adicionales, etc, pueden dar otros valores.

Jungheinrich de España, S.A.U.

C/ Sierra Morena, 5
Área Empresarial Andalucía
28320 Pinto (Madrid)
Línea de atención al cliente
Teléfono 902 120 895
Línea de atención al cliente
Teléfono 902 120 895
info@jungheinrich.es
www.jungheinrich.es

Las fábricas de producción alemanas de
Norderstedt, Moosburg y Landsberg
están certificadas, así como nuestro
Centro de Recambios Originales en
Kaltenkirchen.

ISO 9001
ISO 14001

Las carretillas de Jungheinrich cumplen
los requisitos de seguridad europeos.



 **JUNGHEINRICH**