

Electric front seat / tri-lateral stacker

EFX 411 / 414

Lift height: 3000-9000 mm / Load capacity: 1100-1360 kg





with the best all-round visibility.

For combined use in narrow and wide aisles.

Our versatile and agile EFX Series 4 tri-lateral stackers are perfect for combined use in narrow and wide-aisle warehouses. The modular truck concept with front seat configuration and side-mounted mast as well as optimum visibility of forks, load and travel route facilitates efficient work according to the man-down principle.

Powerful 48-V 3-phase AC technology guarantees maximum throughput with low consumption, while standard and optional equipment options such as RFID floor control or warehouseNAVIGATION ensure a high degree of precision when driving and positioning.

In addition to various travel assistance systems, the EFX 411 / 414 also impress with their intuitive operating concept. A large display, the adjustable console, spacious shelves and ergonomic controls offer first-class working comfort.



With the Jungheinrich Li-ion Guarantee Plus, we give you a long-term performance promise of up to 5 years on our high quality lithium-ion batteries, so you can completely concentrate on your tasks without worrying.



Utilise the data from your trucks to save time, energy and costs and increase efficiency. Our Telematics box (ex works) provides you with a free fleet management starter package that can be flexibly expanded with various hardware and software components.

All benefits at a glance

- · Innovative truck concept with front seat and side mast.
- · High compression due to combined use in narrow and wide aisles.
- · Unrestricted view of forks, load and truck.
- Regenerative braking and lowering.
- · A wide range of equipment options and assistance systems.

^{*} In accordance with our warranty terms - see website for details.

Your Jungheinrich high rack stacker

for maximum customer benefits.



Maximum performance with the most efficient trucks.

Recover valuable energy: regenerating battery energy through regenerative braking enables our EFX 411 / 414 to work with particular persistence and efficiency.

- High torque and maximum throughput with low energy consumption.
- Doubled energy recovery through regenerative braking and lowering. Extended operating times of up to
- 2 shifts with one battery charge.
- Longer battery life and shorter charging times.
- Quick and reliable commissioning through teach-in process.
- Maintenance interval 1,000 operating hours.
- Electronics with wear-free sensor technology.
- · High availability thanks to very short charging times.
- Maintenance-free operation and up to 3 times greater service life in comparison with lead-acid batteries.
- Ideally suited for multi-shift operation thanks to booster and rapid charging capability.
- No battery exchange required.



Best conditions for working safely.

Always the shortest route to the destination: thanks to RFID floor control and other optional assistance systems, you enjoy maximum process reliability when working with the EFX.

- Truck control with transponder technology.
- Distance measurement for precise identification of all warehouse areas.
- High degree of flexibility in terms of switching functions.
- Speed profiles adapted to the floor topology.
- Factory integration in the safety computer.
- Project planning, commissioning and maintenance by Jungheinrich.
- Warehouse navigation for maximum precision during storing and removal.
- Direct transfer of the destination position by the truck computer.
- Automatic vertical and horizontal positioning.
- RFID location detection prevents trucks travelling to incorrect destinations.
- Effective prevention of damage to racks and goods.
- Productivity increase by up to
- positionCONTROL in wide aisles: for efficient stacking at defined
- Fork carrier camera for best view at high lift heights.



A forklift truck as individual as your business.

Lift heights up to 9 m, three mast variants and sophisticated, ergonomic equipment features make our EFX trucks accomplished helpers in the warehouse.

- Triplex telescopic mast for high lift
- Duplex mast ZT for medium lift heights.
- Triplex mast DZ for medium lift heights with free lift.
- Comfortable, generously dimensioned entry.
 Sprung, vibration-cushioned comfort
- Infinitely adjustable control panel.
- Softkey membrane key with numeric keypad.
- Limit position / transition cushioning for all hydraulic functions.
- Control and CAN bus system.
- Mechanical rail guidance.
- Wire guidance for precise navigation without mechanical loading of components.
- Synchronised swivelling.
- Modular system for lift and travel cut-outs as well as speed reductions.
- Radio data terminal with mechanical and electrical interfaces for material flow management systems.
- Jungheinrich FMS fleet management system for efficient and cross-site control of the truck fleet.
- Safety belt with monitoring.

The German production facilities in Norderstedt, Moosburg and Landsberg are certified as well as our Genuine Parts ISO 9001 Center in Kaltenkirchen.

Jungheinrich fork lift trucks meet European safety requirements.

