



# Hand pallet truck

**AM 20**

Lift height: 85-205 mm / Load capacity: 2000 kg

**JUNGHEINRICH**

# The reliable classic in Jungheinrich quality.

**For simple day-to-day pallet handling.**

The robust and reliable AM 20 hand pallet truck is ideal for the daily transport of goods over short distances.

It is particularly easy to handle with its ergonomic control panel, which can be operated from either side with just one hand. The optimised hydraulic system in conjunction with the chromed wheel and joint bushings allows for easy movement of goods with minimal force. This leads to particularly ergonomic working, thereby increasing safety in your company.

The availability of this hand pallet truck is ensured not only by its permanently lubricated connections but also with its maintenance-free hydraulic pump system and optimised lowering valve. The high-performance steel also ensures the durability of the AM 20. For the safe and smooth transport of goods in any situation.



Approved  
**Jungheinrich quality**

## **Proven quality by Jungheinrich**

For decades, the Jungheinrich brand has been representing utmost reliability, premium-quality machines and comprehensive service whenever you need it. From hand pallet trucks to fully automated logistics systems – Jungheinrich delivers maximum quality.

## **All benefits at a glance**

- Ergonomic tiller for right and left-handed operators alike.
- Durable thanks to robust materials and workmanship.
- Maintenance-free due to permanently lubricated connections.
- Special lowering valve for sensitive lowering.

# Your Jungheinrich hand pallet truck

## for maximum customer benefits.



### Efficiency

Maximum performance with the most efficient trucks.

The perfectly adjusted hydraulic system and the special lowering valve for sensitive lowering of goods allow for especially efficient transport of goods.

#### Efficient handling

- Smooth controls equally suitable for both left-handed and right-handed operators.
- Particularly sensitive and controlled lowering of goods with the special lowering valve.
- The drawbar pull required is reduced by the bushes on the wheels.



### Safety

Best preconditions for working safely.


The AM 20's exceptional stability and extreme manoeuvrability due to its compact size provide maximum reliability.

#### Safe and manoeuvrable

- Safe and easy operation even in confined spaces with a short front end length of 390 mm.

#### Maximum stability and durability

- Strong forks and contoured shapes.
- Protected entry rollers.
- Hardened steel.



### Individuality

A forklift truck as individual as your business.

From the paint through the braking system to the used material, this vehicle adapts perfectly to your individual needs and wishes.

#### Quiet and robust

- Chromed bushes on the wheels and joints ensure particularly quiet running and an exceptionally long service life.
- Excellent smooth running even without lubrication of the connections.

# Overview

The right solution for your applications:

| Name                 | Load capacity/load | Lift height (max.) | Aisle width (pallet 800x1200 length) |
|----------------------|--------------------|--------------------|--------------------------------------|
| AM 20, 540x1150 C-GV | 2000 kg            | 205 mm             | 1793 mm                              |
| AM 20, 540x1150 C-BV | 2000 kg            | 205 mm             | 1793 mm                              |
| AM 20, 540x1150 V-GV | 2000 kg            | 205 mm             | 1793 mm                              |
| AM 20, 540x1150 V-BV | 2000 kg            | 205 mm             | 1793 mm                              |
| AM 20, 540x1150 N-GN | 2000 kg            | 205 mm             | 1793 mm                              |
| AM 20, 540x1150 N-BN | 2000 kg            | 205 mm             | 1793 mm                              |

The German production facilities in  
Norderstedt, Moosburg and Landsberg are  
certified as well as our Genuine Parts  
Center in Kaltenkirchen.

ISO 9001  
ISO 14001

Jungheinrich fork lift trucks meet European  
safety requirements.



 **JUNGHEINRICH**