



## Electric pedestrian stacker

**EJC MA 112 / B12**

Lift height: 2440-3600 mm / Load capacity: 1200 kg

***JUNGHEINRICH***

# The agile truck for efficient stacking.

## Manoeuvring safely in confined spaces.

The nimble and robust EJC MA Series pedestrian stacker is a good helper when stacking and transporting over short distances in your warehouse.

Thanks to its compact design, the operator can achieve an increased flexibility when moving materials in confined space. With the integration of numerous functions, the bottom-mounted long tiller contributes to higher level of manoeuvrability as well as recognizable safety while operating the stacker.

The proportional hydraulic ensures that even heavy load can be precisely and gently deposited. Together with the powerful and maintenance-free 3-phase AC motor, not only an optimised work efficiency but also a reduction of operating cost can be well achieved.

## All benefits at a glance

- Flexible and compact through very short front end length
- Manoeuvrable and safe operating with multifunctional tiller
- Sensitive lifting and lowering from the tiller through hydraulic motor with adjustable speed range
- Powerful and economic due to maintenance-free 3-phase AC drive motor

# Your Jungheinrich stacker truck

## for maximum customer benefits



### Efficiency

Maximum performance with the most efficient trucks.

High efficiency with greater performance, EJC MA is a powerful assistant for stacking and transporting tasks in your warehouse.

#### Energy efficient

- High efficiency factor with excellent energy management.
- Powerful acceleration.
- Quick change in travel direction without the usual "pause for thought".
- Reduction of operating cost.
- Maintenance-free drive motor.
- Regenerative braking with energy recovery.

#### Long operating period

- Energy-saving 3-phase AC technology in combination with battery capacities up to 160 Ah ensures long operating time.
- The robust quality components are beneficial for reliable operation and lower wear and tear - a long service life can be guaranteed.



### Safety

Best prerequisites for working safely.


The well-considered multifunctional tiller head ensures ergonomic working as well as increased safety: you can fully concentrate on the work.

#### Comfortable depositing and retrieval

- Precise and gentle lifting of loads with Jungheinrich speed-controlled hydraulic motor.
- Low noise level during lifting.
- Gentle depositing of load through proportional hydraulics.
- Long safety tiller for adequate distance between operator and truck.
- Safe operating with tiller in upright position using crawl speed button.

#### Always informed

- 2-inch-display as information container with battery discharge indicator, hour meter, error codes as well as a choice of 3 driving programs.
- Activation of truck via key or optional by EasyAccess softkey/ key pad/ transponder reader.



### Individuality

A forklift truck as individual as your business.

The service-friendly construction contributes to the individual and safe application by keeping maintenance work quick and simple.

#### Flexibility in pedestrian mode

- Free choices from a wide range of masts heights.
- Driving the truck at the ergonomic speed of 6 km/h allows for comfortable and safe manoeuvring.

#### Additional equipment

- EJC MA B12 is an optional model to be used for various working conditions. (especially for closed-pallet)
- Equipped with straddle supporting arms and forged forks.
- Suitable for various pallet types: different sizes, open/closed variants.

# Overview

The right solution for your applications:

| Name       | Load capacity/load | Lift height (max.) | Travel speed unladen | Aisle width (pallet 800x1200 length) | Lift speed unladen |
|------------|--------------------|--------------------|----------------------|--------------------------------------|--------------------|
| EJC MA 112 | 1200 kg            | 3600 mm            | 6 km/h               | 2240 mm                              | 0.22 m/s           |
| EJC MA B12 | 1200 kg            | 3600 mm            | 6 km/h               | 2270 mm                              | 0.22 m/s           |

The German production facilities in  
Norderstedt, Moosburg and Landsberg are  
certified as well as our Genuine Parts  
Center in Kaltenkirchen.

ISO 9001  
ISO 14001

Jungheinrich fork lift trucks meet European  
safety requirements.



 **JUNGHEINRICH**