




## Electric pedestrian pallet truck

**AME 18**

Lift height: 115 mm / Load capacity: 1800 kg

AME 18







|                                                                                                                                                                                                   |      |                                           |        |            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------------|--------|------------|
| Electric motor/electronics                                                                                                                                                                        | 6.1  | Drive motor, performance S2 60 min        | kW     | 1          |
|                                                                                                                                                                                                   | 6.2  | Lift motor, performance with S3           | kW     | 0.8        |
|                                                                                                                                                                                                   | 6.4  | Battery voltage/nominal capacity          | V / Ah | 48 / 25    |
|                                                                                                                                                                                                   | 6.5  | Battery weight                            | kg     | 10.5       |
|                                                                                                                                                                                                   | 6.6  | Energy consumption according to VDI cycle | kWh/h  | 0.16       |
| Other                                                                                                                                                                                             | 8.1  | Type of drive control                     |        | Impulse/DC |
|                                                                                                                                                                                                   | 10.7 | Sound pressure level according to EN12053 | dB (A) | 70         |
| - This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values. |      |                                           |        |            |

- VDI no. 4.2.1: overall height h15 = height of the truck without tiller.

The German production facilities in  
Norderstedt, Moosburg and Landsberg are  
certified as well as our Genuine Parts  
Center in Kaltenkirchen.

ISO 9001  
ISO 14001

Jungheinrich fork lift trucks meet European  
safety requirements.



 **JUNGHEINRICH**