

Scissor lift hand pallet truck

AMX 10/10e

Lift height: 714 mm / Load capacity: 1000 kg

JUNGHEINRICH

The scissor lift pallet truck

for ergonomic operations.

Versatile usable as lift table or workbench.

The particularly flexible and ergonomic scissor lift hand pallet trucks AMX 10 and AMX 10e can be used for a wide variety of situations. As a lift table, a supply table and even as workbench the AMX 10 and AMX 10e stand b< your side.

With this combination of lift table and hand pallet truck, goods of all kinds can be moved and lifted up to a height where back-safe working is possible. An additional contribution to the ergonomics comes from the tiller head that can be used by left- and right-handed operators alike.

Depending on your needs the AMX is available with manual hydraulics. For that model the cargo can be supported with additional pillars from a height of 400 mm. The fast lift ensures that the lifting itself is time and energy saving.

As an alternative, the AMX 10e model is equipped with electronic hydraulics. Frequent changes in height can be achieved quickly and effortlessly at the touch of a button.

Approved
Jungheinrich quality

Proven quality by Jungheinrich

For decades, the Jungheinrich brand has been representing utmost reliability, premium-quality machines and comprehensive service whenever you need it. From hand pallet trucks to fully automated logistics systems – Jungheinrich delivers maximum quality.

All benefits at a glance

- Available with manual or electronic hydraulic system
- 800 mm maximum lift for ergonomic usage
- Optionally fitted with lateral support wheels
- Ergonomic tiller for right- and left-handed operators alike
- Energy and time-saving fast lift for up to 120 kg

Your Jungheinrich hand pallet truck

for maximum customer benefits.



Efficiency

Maximum performance with the most efficient trucks.

Innovative technology ensures that all kinds of goods can be moved fast and efficiently. Hand and electronic hydraulics ensure maximum performance and minimum energy needs alike.

Efficient Handling

- Smooth controls equally suitable for both left-handed and right-handed operators.
- Particularly sensitive and controlled lowering of goods with the special lowering valve.
- The standard fast lift (up to 120 kg) ensures that Euro pallets can be lifted clear of the floor with just 3 pump strokes.
- The maximum lift height is achieved with only 26 pump strokes.
- Optimised hydraulic system for effortless pumping.
- Drawbar pull required is reduced by the bushes on the wheels.

Built-in charger (AMX 10e)

- Standard built-in rectifier.
- Charging of maintenance-free batteries on every 230 V electricity outlet.
- Charger with automatic switch-off after finished charging.



Safety

Best prerequisites for working safely.


The safe movement of goods is ensured through the robust construction of these hand pallet trucks. Upon request, additional support wheels can be installed.

Safe and robust

- Varying work heights up to 800 mm for a healthy posture during work.
- Optional equipment: Lateral support wheels for movement of goods while lifted.
- Closed fork tips in welded construction are torsion free and extremely robust.
- Pump unit with integrated tank and lowering valve for sensitive lowering through manual lever.
- Pressure limiting valve to protect hydraulics from overloading.

Maximum stability and durability

- Strong forks and contoured shapes.
- Welded tiller mounting.
- Protected entry rollers.
- Hardened steel.



Individuality

A forklift truck as individual as your business.

The flexible use of these scissor lift hand pallet trucks adjust to your needs, for example with different wheel material, depending on your ground conditions.

Individual equipment

- Different materials for wheels and rolls available, depending on ground condition and application scenario.
- Lifting and lowering: Manual or electro-hydraulic with 0.5 kW lift motor.

AMX 10 manual hydraulic

- Load can be brought to the optimum work height with just a few movements of the tiller.
- Beyond a certain fork height, the scissor lift hand pallet truck is secured by additional support legs.

AMX 10 electronic hydraulic

- Scissor lift hand pallet trucks are recommended for frequently changing work heights.

The work height can be easily adjusted at the touch of a button.

- Battery: 70 Ah C5, maintenance-free.

Overview

The right solution for your applications:

Name	Load capacity/load	Lift height (max.)	Aisle width (pallet 800x1200 length)	Lift speed unladen
AMX 10	1000 kg	714 mm		
AMX 10e	1000 kg	714 mm		
AMX 10 (560x1150, V-GV, SH)	1000 kg	714 mm	2005 mm	
AMX 10 (560x1150, C-GN, SH)	1000 kg	714 mm	2005 mm	
AMX 10 (560x1150, N-GN, SH)	1000 kg	714 mm	2005 mm	
AMX 10 (680x1150, V-GV, SH)	1000 kg	714 mm	2005 mm	
AMX 10 (680x1150, C-GN, SH)	1000 kg	714 mm	2005 mm	
AMX 10 (680x1150, N/GN, SH)	1000 kg	714 mm	2005 mm	
AMX 10e (560x1150, V-GV, SH)	1000 kg	714 mm	2005 mm	0.05 m/s
AMX 10e (560x1150, C-GN, SH)	1000 kg	714 mm	2005 mm	0.05 m/s
AMX 10e (560x1150, N-GN, SH)	1000 kg	714 mm	2005 mm	0.05 m/s
AMX 10e (680x1150, V-GV, SH)	1000 kg	714 mm	2005 mm	0.05 m/s
AMX 10e (680x1150, C-GN, SH)	1000 kg	714 mm	2005 mm	0.05 m/s
AMX 10e (680x1150, N-GN, SH)	1000 kg	714 mm	2005 mm	0.05 m/s

The German production facilities in Norderstedt, Moosburg and Landsberg are certified as well as our Genuine Parts Center in Kaltenkirchen.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet European safety requirements.

CE

JUNGHEINRICH