


Hand pallet truck galvanised


AM G20

Lift height: 122 mm / Load capacity: 2000 kg

JUNGHEINRICH

AM G20


h14
(y)
c
Q
s
m2
h13
h3
(y)
l2
l
l1


Wa
104°
104°
b1
b10
e
b11
b5
x
a/2=100
l6
a/2=100
Ast =Wa+l6−x+a

VDI table

Characteristic	1.1	Manufacturer (abbreviated description)			Other (OEM)					
	1.2	Manufacturer's type designation			AM G20 (520x1,150)			AM G20 (520x950)	AM G20 (520x795)	
	1.3	Drive type			Manual					
	1.4	Operation			Manual					
	1.5	Load capacity/load	Q	kg	2000					
	1.6	Load centre distance	c	mm	600			500	400	
	1.9	Wheelbase	y	mm	1110	-	1110	910	755	
Weights	2.1	Netto weight		kg	61	60		54	51	
	2.3	Axle load unladen front/rear		kg	38 / 20	- / -	38 / 20	- / -		
Wheels/chassis	3.1	Tyres			N-GN	N-BN	V-BV	N-GN		
	3.2	Tyre size, front			Ø 170x50	-	Ø 170 x 50	Ø 170x50		
	3.3	Tyre size, rear			Ø 82x96	-	Ø 82 x 62	Ø 82x96		
	3.5	Wheels, number front/back (x=driven)			2/2	-	2/2			
	3.6	Tread width, front	b10	mm	109	-	109			
	3.7	Tread width, rear	b11	mm	370	-	370			
Basic dimensions	4.4	Lift (h3)	h3	mm	122					
	4.9	Height of tiller handle in drive position min./max.	h14	mm	1234	-	1234			
	4.14	Stand height, elevated	h12	mm	205					
	4.15	Height, lowered	h13	mm	83					
	4.19	Total length	l1	mm	1520	1523		1320	1165	
	4.20	Length including fork shank	l2	mm	373					
	4.21.1	total width	b1	mm	520					
	4.22	Fork dimensions	s/e/l	mm	53 x 150 x 1150			53 x 150 x 950	53 x 150 x 795	
	4.25	Width across forks	b5	mm	520					
	4.32	Ground clearance centre of wheelbase	m2	mm	30					
	4.34.1	Aisle width (pallet 1000×1200 sideways)	Ast	mm	1734	-	1734	1584		
	4.34.2	Aisle width (pallet 800x1200 length)	Ast	mm	1784	-	1784			
	4.35	Turning radius	Wa	mm	1274	-	1274	1074	919	
Performance data	5.3	Lowering speed laden/unladen		m/s	0.09 / 0.02	- / -	0.09 / 0.02			

- This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values.

The German production facilities in Norderstedt, Moosburg and Landsberg are certified as well as our Genuine Parts Center in Kaltenkirchen.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet European safety requirements.

CE

JUNGHEINRICH