

Mobile robot


EAC 212a

Lift height: 250-1200 mm / Load capacity: 1200 kg

LI-ION technology

JUNGHEINRICH

EAC 212a


l
x
c
Q
h15
h3
9.6°
1.9°
m2
s
h13
6.2°
y/2
y
l2
l1
Wa
b1
b10
R
b11
b5
b12
e
a
2
l6
a
2
Ast

VDI table

Characteristic	1.1	Manufacturer (abbreviated description)			Jungheinrich
	1.2	Manufacturer's type designation			EAC 212a
	1.3	Drive type			electric
	1.4	Operation			Automatic
	1.5	Load capacity/load	Q	kg	1200
	1.6	Load centre distance	c	mm	700
	1.8	Load distance, centre of drive axle to fork	x	mm	915
	1.9	Wheelbase	y	mm	1235
Weights	2.1.1	Service weight (incl. battery)		kg	696
	2.3	Axle load unladen front/rear		kg	537 / 159
Wheels/chassis	3.1	Tyres			Polyurethane (PU)
	3.2	Tyre size, front			ø230x65
	3.3	Tyre size, rear			ø70x75
	3.4	Additional wheels			ø60x35
	3.5	Wheels, number front/back (x=driven)			1(x) + 2 / 2
	3.6	Tread width, front	b10	mm	610
	3.7	Tread width, rear	b11	mm	430
Basic dimensions	4.2.1	Total height	h15	mm	2050
	4.4	Lift (h3)	h3	mm	1425
	4.15	Height, lowered	h13	mm	75
	4.19	Total length	l1	mm	1816
	4.20	Length including fork shank	l2	mm	481
	4.21.1	total width	b1	mm	795
	4.22	Fork dimensions	s/e/l	mm	55 x 185 x 1335
	4.25	Width across forks	b5	mm	570
	4.32	Ground clearance centre of wheelbase	m2	mm	20
Performance data	5.1	Travel speed laden/unladen		km/h	6 / 6
	5.7	Gradeability laden/unladen		%	0 / 0
	5.10	Service brake			generative
Electric motor/electronics	6.1	Drive motor, performance S2 60 min		kW	2
	6.2	Lift motor, performance with S3		kW	2.2
	6.3	Battery according to DIN 43531/35/36			no
	6.4	Battery voltage/nominal capacity		V / Ah	25.6 / 130
	6.5	Battery weight		kg	55

Other	10.7	Sound pressure level according to EN12053	dB (A)	55

- This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values.

The German production facilities in Norderstedt, Moosburg and Landsberg are certified as well as our Genuine Parts Center in Kaltenkirchen.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet European safety requirements.

CE

JUNGHEINRICH